

We Transform **Architecture into** Living Spaces

KAISER GRAND

kaisergrand.com

KAISER
GRAND

kaisergrand.com

Designing the future **of architecture today.**

Kaiser Grand is an innovative building brand that brings together aesthetics, technology and durability in outdoor systems.

We offer premium solutions that make living spaces usable in all four seasons, led by pergola, bioclimatic systems, glass roofs, guillotine glass, sliding glass, zip screens, motorized wind breakers, Wintend and garden fence systems.

We manage site survey, project design, production, installation and after-sales support from a single center, and tailor every project to its architecture, intended use and our customer's expectations.

Not just systems, we design **living spaces.**

By combining quality, functionality and modern architecture, we develop custom solutions you can rely on for many years.

GUILLOTINE GLASS BALCONY 7-14
FOLDING GLASS BALCONY 15-18
KAISER PRO SLIDING GLASS SYSTEMS 19-32
GLASS ROOF WINTER GARDEN 33-39
BIOCLIMATIC 40-47
WIND BREAKER 48-54
PERGOLA SYSTEMS 55-61
ZIP SCREEN 62-65
WINTEND 66
GARDEN FENCE SYSTEMS 67

KAISER
GRAND



GUILLOTINE SYSTEM


DESIGN AND FUNCTIONALITY

- Kaiser Grand Guillotine Glass Systems provide panoramic viewing angles and natural lighting with the penetration of daylight, by moving the 8mm tempered (break-resistant) or insulating glass panels up/down with the help of a motor.
- The guillotine system engine using RTS technology works with the remote control and the motion can be stopped at the specifi ed point thanks to the start-stop technology.
- The entire system or a single module can be operated with a remote control.
- Glass profi les, which minimally affect the aesthetics and fi eld of view, do not obstruct the users' fi eld of view and provide a perfect integrity with the outdoor environment with unlimited color, wood coating and pattern options.
- Rain and wind sensors that can be added to the system detect situations such as precipitation and storms when the system is on and turn off automatically.
- Guillotine systems provide 60% sound insulation. With synergy and comfort glasses that can be used in double-glazed systems, the thermal insulation feature can be increased to even higher levels.
- It works in harmony with smart home systems.
- Our guillotine systems; sound insulation, wind resistance and waterproofi ng tests have been carried out by independent institutions and have certifi cates in European standards. The insulating glass system has higher energy savings, wind resistance and water tightness than 8mm standard glass.
- The transom glass option provides the opportunity to clean the glass panels from the outside on high fl oors. In addition, when the system is off, the tilt wing can be opened and the environment can be ventilated.

SECURITY


- Fingers are prevented from being caught between the glass panels while the system is being shut down. By adjusting it so that there is a gap of 1-2 cm between the moving glass and the fi xed glass, the danger of fi nger jamming is prevented even in the parking position.
- Steel chain guillotine (optional) system provides more security than other models.
- In terraces, the guillotine system acts as a 100% safe glass railing during assembly as well as the window feature.
- It provides unlocked security with its special security glass and profi le system.

KAISER GRAND




Number of Glass Panels	3Glass, 2 Glass
Maximum Measures	Max. W:4000mm H:3500mm
Double Glass Feature	4+12+4 Tempered
Single Glass Feature	8mm Tempered
Surface Coating	Electrostatic Powder-Coating
Cleanable Sash	✓
Movable Handrail	✓
Safety ElektronicSwitch	✓

Main Box Profile



Code: SP-103
Weight kg/m: 2,550
(W:116,50 X H:147,50 X 2,5)

Main Box Cover Profile




Code: SP-102
Weight kg/m: 0,885
(W:8,60 X H:143,10 X 2,0)

Side Profile




Code: G-107
Weight kg/m: 1,590
(W:116,50 X H:97,45 X 1,6)

Wide-Fixed Profile




Code: G-135
Weight kg/m: 1,460
(W:41,50 X H:48,50 X 1,4)

Bottom-Handrial Profile




Code: G-146
Weight kg/m: 0,740
(W:26,60 X H:48,55 X 1,5)

Openable Base Profile




Code: G-134
Weight kg/m: 0,900
(W:30,85 X H:48,50 X 1,5)

Luxury Handrail




Code: G-143
Weight kg/m: 1,350
(W:86,00 X H:48,00 X 2,00)

Inner-Side-2 Profile




Code: G-137
Weight kg/m: 1,125
(W:73,31 X H:82,30 X 1,6)

Vertical-Lock Profile




Code: G-136
Weight kg/m: 1,000
(W:31,00 X H:80,22 X 1,4)

Vertical Profile




Code: G-149
Weight kg/m: 0,671
(W:27,50 X H:41,75 X 1,4)

Inner-Side Profile




Code: G-108
Weight kg/m: 1,100
(W:42,90XH:82,30 X 1,6)

Puller-Base Profile



Code: G-147
Weight kg/m: 0,875
(W:39,00XH:48,55 X 1,40)

Side Cover Profile




Code: G-109
Weight kg/m: 0,650
(W:37,50 X H:82,30 X 1,6)

8 mm Adapter




Code: G-152
Weight kg/m: 0,260
(W:20,20 X H:23,70 X 1,2)

Handrail Profile



Code: G-154
Weight kg/m: 0,850
(W:116,03 X H:22,70 X 2,0)

Convex Form Profile




Code: G-155
Weight kg/m: 1,350
(W:90,00 X H:48,55 X 1,4)

Side Cover-2 Profile




0 Code: **G-110**
Weight kg/m: 0,170
(W:37,00 X H:3,75 X 1,5)

Bottom Case Profile



0 Code: **G-150**
Weight kg/m: 1,365
(W:116,90 X H:25,75 X 1,6)

2 Glass Puller Profile




Code: **G-153**
Weight kg/m: 1,450
(W:83XH:48,50X 1,8)

Side Cover-3 Profile




6 Code: **G-156**
Weight kg/m: 1,380
(W:86,50 X H:48,50 X 1,4)

Color Band Profile




Code: **RB-101**
Weight kg/m: 0,051
(W:2,85 X H:8,70)

Octagon Motor Profile




05 Code: **SB-103**
Weight kg/m:
(W:70,80 X H:70,80 X 1,55)

Vertical-Lock Profile




2 Code: **G-162**
Weight kg/m: 1,195
(W:30,85 X H:98,2 X 1,4)

Side Profile




0 Code: **G-160**
Weight kg/m: 1,710
(W:116,50 X H:97 X 1,6)

Vertical Profile




Code: G-163
Weight kg/m: 1,047
(W:24,80 X H:70,70 X 2)

Inner-Side-2 Profile



Code: G-161
Weight kg/m: 1,690
(W:93,75 X H:81,8 X 1,6)

Inner-Side Profile



Code: G-108
Weight kg/m: 2,027
(W:81,05XH:81,80 X 1,6)

KAISER GRAND

GUILLOTINE SYSTEM PROFILES AND ACCESSORIES

Belt/Chain Routing



Code: **GA-11**

Pulley



Code: **GA-02**

Belt/Chain Routing



Code: GA **03/3-1**

Tube Adapter




Code: **GA-04**

Inner-Side Profile




Code: **GA-18**

Waterproof



Code: **GA-45-1**

Handrail Cover



Code: **GA-18-2**

Puller Profile Cover



Code: **GA-15-1**

Bottom Cover (Bottom Glass)



Code: **GA-24**

Cleanable Accessory



Code: **GA-25**

Switch

Safety Switch



Code: **GA-43**

Upper Profile Cover (Bottom Glass)



Code: **GA-44**

Gear Wheel



Code: **GA-02**

Chain



Code: **GA-43**

PushLock



Code: **GA-29**

UpperCover(Bottom Glass)



Code: **GA-23**

Main Box Casting Cover



Code: **GA-05-1**

Main Box Roller



Code: **GA-11**

Motor Roller




Code: **GA-11**

Pull Lock



Code: **GA-27**

Bottom Case Corner Cover



Code: **GA-02**

Side Case Merge Cover




Code: **GA-22**

Espangnolette





Code: **GA-28**




INSTALLATION SCHEME

KAISER
GRAND







Section A




Section A




Section B







Section A



Section A





Section B




Section B

KAISER PLUS SYSTEM CROSS-SECTION DETAIL






Section A




Section A




Section B

Section A


Section B



Section A



Section A



In the double tilt-window system, the first and second sash open towards the interior.

Section B



FOLDING GLASS

BALCONY

DESIGN & FUNCTIONALITY

- Our Folding Glass Balcony Systems feature 8mm tempered (break-resistant) glass or 4+22+4 mm insulated glass units that open and close by folding, providing an unobstructed panoramic view and maximizing natural daylight for bright, inviting spaces. Thanks to high-quality hardware components, the system operates quietly and effortlessly.
- The folding system can be comfortably adjusted to any desired opening ratio. You can gather all panels at a single point to completely open up the area, or conveniently open a single panel from the top for controlled ventilation.
- Specially designed glass profiles, which minimally impact aesthetics and visibility, do not obstruct the user's view. With an unlimited range of color options, the system blends seamlessly with existing architecture and the outdoor environment.
- For systems equipped with insulated glass, we can add a top-hinged awning window (vasista) to any panel you choose. This feature allows ventilation from the upper section even when the system is fully closed. The awning panels are fitted with scissors mechanisms on the right and left sides, and are operated using child-safety lock handles, ensuring both easy opening/closing and secure ventilation.
- Our systems are designed with profiles that are resistant to external factors such as rain and wind, offering long-lasting durability and requiring minimal maintenance.

SAFETY


- Thanks to the precise gap adjustment between panels in the folding system, the risk of finger trapping during opening and closing is effectively prevented. Panels can be securely locked at any desired position.
- The scissor-type child safety lock handles provide an extra layer of security, particularly on awning panels. This locking mechanism prevents children from unintentionally opening the panel, while allowing adults to operate it smoothly with a single motion.
- In terrace and balcony applications, the folding system not only functions as a window but also serves as a 100% safe glass balustrade when all panels are closed. This ensures you never compromise on safety, whether on high floors or in open areas.
- With its specially designed safety glass and profile system, it delivers a superior level of security without the need for traditional locking mechanisms. When the system is closed, it is resistant to external intrusion and provides full protection for the users inside.

KAISER
GRAND

FOLDING GLASS BALCONY PROFILES


FOLDING GLASS BALCONY PROFILES

Case Profile




Code: **CB-101**
Weight kg/m: 1,505
(W:42,72X H:66,26 X2)

Color-Banded Case Profile




Code: **CB-102**
Weight kg/m: 1,520
(W:42,72 X H:66,26 X 2,0)

Base Profile




Code: **CB-103**
Weight kg/m: 0,857
(W:34,70 X H:42,70 X 1,5)

Small Strip Profile




Code: **CB-104**
Weight kg/m: 0,491
(W:37,00 X H:26,75 X 1,4)

Large Strip Profile




Code: **CB-105**
Weight kg/m: 0,480
(W:37,00 X H:27,00 X 1,4)

Side Frame Profile




Code: **CB-106**
Weight kg/m: 0,463
(W:39,30 X H:28,20 X 1,2)

Side Profile




Code: **CB-107**
Weight kg/m: 0,374
(W:39,30 X H:28,19 X 1,2)

Espagnolette Profile




Code: **CB-108**
Weight kg/m: 0,690
(W:39,9XH:60,19 X1,5)

135° Corner Profile




Code: **CB-109**
Weight kg/m: 0,461
(W:42,00 X H:37,42 X 1,2)

90° Corner Profile




Code: **CB-110**
Weight kg/m: 0,650
(W:52,50 X H:37,90 X 1,2)

Color Band Profile




Code: **RB-101**
Weight kg/m: 0,051
(W:2,85 X H:8,70)

Vasistas Base Profile




Code: **CB-112**
Weight kg/m: 0,938
(W:34,70 X H:52,45 X 1,3)

Vasistas Side Frame Profile




Code: CB-113
Weight kg/m: 0,770
(W:37,00 X H:51,25 X 1,3)

Vasistas Hingle Profile




Code: CB-114
Weight kg/m: 1,021
(W:34,70 X H:54,95 X 1,5)

Vasistas Espagnolette




Code: CB-115
Weight kg/m: 1,140
(W:34,70 X H:72,55 X 1,4)

Bottom-Handrial Profile




Code: CB-116
Weight kg/m: 0,511
(W:35,95 X H:50,70 X 1,5)

Large Strip Profile




Code: **CB-117**
Weight kg/m: 0,321
(W:17,90X H:37,90 X1,2)

8mm Base Profile




Code: **CB-118**
Weight kg/m: 0,949
(W:38,50 X H:44,10 X 1,2)

H Profile




Code: **CB-119**
Weight kg/m: 0,247
(W:19,50X H:25,00 X1)

h Profile




Code: **CB-120**
Weight kg/m: 0,154
(W:15,20X H:23,00 X1)

90° Corner Profile for 8mm




Code: **CB-121**
Weight kg/m: 0,334
(W:21,40X H:24,50 X1,2)

Espagnolette Profile for 8mm




Code: CB-122
Weight kg/m: 0,511
(W:37,50 X H:32,50 X 1,5)

Cover Profile for 8mm



Code: **CB-123**
Weight kg/m: 0,279
(W:22,00X H:29,50 X1,5)

Espagnolette Profile for 8mm



Code: **CB-124**
Weight kg/m: 0,625
(W:27,10X H:64,40 X1)

3 Slotted Link



Code: **KCB-101**

5 Slotted Link



Code: **KCB-102**

7 Slotted Link



Code: **KCB-103**

9 Slotted Link




Code: **KCB-104**

10 Slotted Link

Code: **KCB-105**

Strut Wedge



Code: **KCB-106**

Espagnolette Cover



Code: **KCB-107**

9 Slotted Link



Code: **KCB-108**

135° Cover



Code: **KCB-109**

90° Cover




Code: **KCB-110**

Small Strip Cover



Code: **KCB-111**

Large Strip Cover



Code: **KCB-112**

Deve Boynuzu
Exit Guide and Striker Plate



Code: **KCB-113**

Exit Guide Plate



Code: **KCB-114**

Hingers



Code: **KCB-115**

Whell



Code: **KCB-116**

Espangnolette



Code: **KCB-117**

Push Lock



Code: **KCB-118**

Strike Plate



Code: **KCB-119**

Weather Strip



Code: **KCB-120**

Sash Gasket




Code: **KCB-121**

Ara Conta
Intermediate Gasket





Code: **KCB-122**

Base Gasket




Code: **KCB-123**







Section B





Section C






Section A







FOLDING GLASS BALCONY SYSTEM CROSS-SECTION DETAIL

KAISER PRO SLIDING



Kaiser Pro Sliding Glass Systems

Kaiser Pro features sliding panels that glide smoothly along horizontal tracks. Depending on the system length and architectural requirements, it can be manufactured with double or triple track options.

Key Features:

Integrated Blinds: Thanks to the use of highly insulated 4+22+4 mm double glazing, built-in Venetian blinds can be seamlessly integrated between the glass panes.

Advanced Water Drainage: Built-in drainage channels integrated into the bottom track ensure effortless evacuation of rainwater and snow.

High Load Capacity & Large Panel Dimensions: For effortless operation, each panel is equipped with two height-adjustable roller sets (featuring a total of 8 bearings, 4 per set). This robust mechanism allows for the production of expansive glass views with a maximum panel width of 2500 mm and a panel height of 3500 mm.



Seamless Panoramic View with Kaiser Pro Sliding Systems

The Kaiser Grand Slide Pro series combines modern architecture with functionality. With options reaching 3500 mm in height and 2500 mm in sash width, it adds value to your spaces. High temperature performance and electrostatic powder coating support long-lasting use.

3500 mm
Max. Height

2500 mm
Sash Width

4+22+4
Insulated Glass Specification

Feature Category


	Technical Details and Values
Glass Pieces	System options with 2, 3, 4 or 6 glass panels
Maximum Dimensions	H: 3500 mm | Max. Sash Width: 2500 mm
Insulated Glass Specification	4+22+4tempered insulated glass (high insulation)
Surfaces	Electrostatic powder coating (all RAL colours)
System Type	Threshold and threshold-free system options
Profile Detail	Specially designed corner return profile
Locking Mechanism	Secure espagnolette locking system

* All dimensions are given in millimetres (mm). Different options are possible for custom projects.




System Components


Espagnolette and Glass Bottom Components




3-Rail Case Profile and Rail Components



Glass Bottom and Puller Profile Detail




Rail , Wheel and Co r ne r Com p onen ts



KAISER GRAND


KAISER PRO SLIDING SYSTEM ACCESSORIES

2-Rail Case Profile




Code: SS-306
Weight kg/m: 1,682
(W:102,36 X H:36,3 X1,7)

3-Rail Case Profile




Code: SS-301
Weight kg/m: 2,276
(W:146,23 X H:36,3 X1,7)

Glass Botton Profile




Code: SS-302
Weight kg/m: 0,840
(W:33,3 X H:75 X1,4)

Duble Side Hundle Profile




Code: SS-308
Weight kg/m: 1,682
(W:70,03 X H:77,05 X1,35)

Espangnolette Profile




Code: SS-304
Weight kg/m: 1,119
(W:35,30 X H:77,50 X1,4)

Connection Profile




Code: SS-304
Weight kg/m: 1,119
(W:35,30 X H:77,50 X1,4)

Puller Profile




Code: SS-303
Weight kg/m: 0,740
(W:41,86 X H:45 X1,4)

Color Band Profile



Code: RB-101
Weight kg/m: 0,051
(W:2,85 X H:8,70)

3-Rail Slim Case Profile




Code: SS-311
Weight kg/m: 1,230
(W:146,25 X H:13,50)

2-Rail Slim Case Profile



Code: SS-312
Weight kg/m: 0,895
(W:102,25 X H:13,50)

Reinforced Puller Profile



Code: SS-305
Weight kg/m: 1,016
(W:71,35 X H:45 X1,4)

2-Rail CornerCover



KS-01

Aluminum Die-Cast


3-Rail CornerCover



KS-11

Aluminum Die-Cast


Reinforced Puller Corner Cover



Code: KS-02

Plastic


Espangnolette Corner Cover



Code: KS-04

Plastic

4-Wheel



Code: KS-05


Corner Cover



Code: KS-06

Plastic

Bristle Wick



Code: KS-08

Plastic

Push Lock Lever




Code: GA-24

Espangnolette



Code: KS-10

Reinforced Puller Corner Cover



Code: KS-03

Plastic

Wheel GuardPlastic



Code: KS-07

Plastic

Lock Strike





Code: KS-09

Plastic


KAISER GRAND

KAISER PRO SLIDING SYSTEM KAISER PRO SLIDING SYSTEM






Section A



Without Threshold
Section A



Section B


KAISER SIMPLE SLIDING

- has been developed to create partitions and divide large areas in places such as hotels, cafes, restaurants, villas, residences, terraces, winter/summer gardens, shopping centers. You can create a four-season living space with the use of pergola, bioclimatic and glass ceiling.


DESIGN AND FUNCTIONALITY

- Kaiser Grand sliding glass systems consist of wings that move on rails in the horizontal direction. It is produced according to the length of the system, according to the details of 3 or 4 tracks.
- 8mm tempered glass or 4+12+4 double glass is used.
- Snow or rain water can be easily discharged with the drainage channels integrated into the bottom rail of the system.
- In order for the glass panels in the system to move easily, two wheel sets with ball bearings and height adjustment are used.


KAISER
GRAND




C Number of Glass Panels	**2 Glass, 3 Glass, 4 Glass 5 Glass**
Maximum Measures	**Max. W:10000mm H:3200mm**




Double Glass Feature	**4+12+4 Tempered**
Single Glass Feature	**8mm Tempered**
Surface Coating	**Electrostatic Powder-Coating**





With/Wihout Threeshold	✓
Corner Profile	✓




Espagnolette Lock	✓










SLIDING GLASS SYSTEMS

3-Rail Top Case Profile




Code: SS-141
Weight kg/m: 1,031
(W:64,2 x H:38,6 x 1,4)

3-Rail Top Case Profile




Ürün Kodu / *Code*: **SS-120**
Weight kg/m: 1,642
(W:92,08 x H:35,5 x 1,6)

4-Rail Top Case Profile



Code: SS-117
Weight kg/m: 2,108
(W:112,42 x H:35,5 x 1,6)

5-Rail Top Case Profile




Code: SS-138
Weight kg/m: 1,800
(W:153 x H:47 x 1,3)

Side-U Profile



Code: SS-123
Weight kg/m: 0,554
(W:35 x H:33 x 1,2)

2-Rail Bottom Case Profile



Code: SS-140
Weight kg/m: 0,987
(W:64,2 x H:33,3 x 1,4)

3-Rail Bottom Case Profile



Code: SS-121
Weight kg/m: 1,377
(W:92,08 x H:32,92 x 1,4)

4-Rail Bottom Case Profile




Code: SS-118
Weight kg/m: 1,925
(W:120,42 x H:32,92 x 1,4)

5-Rail Bottom Case Profile



Code: SS-137
Weight kg/m: 1,572
(W:153 x H:33 x 1,3)

Puller Profile



Code: SS-126
Weight kg/m: 0,406
(W:29 x H:21 x 1,15)

2-Rail Bottom Case Profile (Without threshold)



Code: S-143
Weight kg/m: 0,603
(W:64,2 x H:14 x 1,4)

3-Rail Bottom Case Profile (Without threshold)



Code: SS-135
Weight kg/m: 0,807
(W:90 x 17 x 1,4)


4-Rail Bottom Case Profile (Without threshold)



Code: SS-136
Weight kg/m: 1,056
(W:119 x H:17 x 1,4)

5-Rail Bottom Case Profile

(Without threshold)



Code: SS-143
Weight kg/m: 1,312
(W:53 x H:14 x 1,3)

Middle Profile




Code: SS-127
Weight kg/m: 0,420
(W:35,1 x H:29,5 x 1,35)

2-Rail Side Case




Code: SS-142
Weight kg/m: 0,820
(W-41,28 x H-48,49 x 1,5)

3-Rail Side Case



Code: SS-122
Weight kg/m: 0,968
(W-93,6 x H-20,46 x 1,35)

4-Rail Side Case



Code: SS-119
Weight kg/m: 1,276
(W-122,85 x H-20,46 x 1,35)

5-Rail Side Case



Code: SS-139
Weight kg/m: 1,400
(W-142,5 x H-18 x 1,35)

Glass Bottom Profile



Code: SS-124
Weight kg/m: 0,711
(W:21 x H:69 x 1,2)

Espagnolette Profile



Code: SS-131
Weight kg/m: 0,674
(W-24,7 x H-53,1 x 1,4)

Double Side Handle Profile




Code: SS-125
Weight kg/m: 0,852
(W-20,7 x H-52 x 1,45)

Single Side Handle Profile



Code: SS-130
Weight kg/m: 0,701
(W-20,7 x H-52 x 1,45)

8mm Single Glass Link Profile



Code: SS-134
Weight kg/m: 0,233
(W-20,6 x H-14,6 x 1,2)

90° Edge Profile



Code: SS-129
Weight kg/m: 0,748
(W-50 x H-50 x 1,2)

2-Rail Upper Corner Cover



Code: SA-20

3-Rail Upper Corner Cover



Code: SA-04

4-Rail Upper Corner Cover



Code: SA-02

5-Rail Upper Corner Cover



Code: SA-16

90 Upper Corner Cover



Ürün Kodu / Code : SA-12

Handle Cover



Ürün Kodu / Code : SA-05

2-Rail Bottom Corner Cover



Ürün Kodu / Code : SA-21

3-Rail Bottom Corner Cover




Ürün Kodu / Code : SA-14

4-Rail Bottom Corner Cover



Ürün Kodu / Code : SA-15

5-Rail Bottom Corner Cover



Ürün Kodu / Code : SA-17

90 Bottom Corner Cover



Ürün Kodu / Code : SA-13

Lock Lever



Ürün Kodu / Code : SA-22



Ürün Kodu / Code : SA-10



Ürün Kodu / Code : SA-11



Ürün Kodu / Code : SA-06




Ürün Kodu / Code : SA-07



Ürün Kodu / Code : SA-08



Ürün Kodu / Code : SA-23


SS-122
SS-123
SS-130
SS-126
SS-126
SS-125
SS-127
PUSH HANDLE
SS-131
SS-126
SS-126
SS-130
SS-129
SS-130
SS-130
SS-126
SS-126
SS-131
SS-123
SS-122
SS-120
SS-124
SS-124
SS-121
PUSH HANDLE

KAISER
GRAND



WINTER GARDEN

- Kaiser Grand Glass Ceiling Systems have been developed to take advantage of daylight in all four seasons and to remove the obstacle between you and the sky in places such as hotels, cafes, restaurants, villas, residences, terraces, winter/
- summer gardens, shopping centers and pools. With the glass roof, you can leave out rain, snow and cold weather
- in winter and enjoy the sun in summer. In addition, it is possible to install with guillotine, zip curtain and sliding glass
- systems.


DESIGN AND FUNCTIONALITY

Tempered (break resistant), double glazing, laminated and fi berglass glass options are available for the glass ceiling system.
It creates a 24/7 usage area with LED and strip lighting.
The hidden part of the drainage system, which is integrated into both beams and columns, makes it possible to drain rain and snow water.

KAISER GRAND




Number o fGlassPanels	
Maximum Measures	Max.W: Max.P:7000
Double GlassFeature	4+4 Laminated+12+4 Tempered
Single GlassFeature	8mm Tempered
Surface Coating	Electrostatic Powder-Coating
Led Lightning	✓
Middle Beam	✓
Profile With Iron Reinforcement	✓
Cutting WithoutAngle	✓


CT-302
CT-303
CT-311
CT-306
CT-312
Duvar Sabitleme
Wall Profile Cover
CT-310
Gutter Cover
CT-314
Su Filtresi
Water Filter
CT-304
Sabileme Lazeri
Column Fixing Accessory
CT-311
Wall-Upper Gasket
Glass Gasket
CT-309
CT-107
CT-312
CT-
301
CT-
306
CT-314
CT-312
CT-304
110x145
110 x 145 AluminumLeg
110x145
110 x 145 AluminumLeg


KAISER GRAND

Gutter Profile




Code: CT-304
Weight kg/m: 3,844 kg/m
W x H x T: W:132,5 x H:103,5 x 2,5

Gutter Cover Profile (Oval)




Code: CT-314
Weight kg/m: 0,850 kg/m
W x H x T: W:30,7 x H:127,3 x 1,5

Gutter Cover Profile Luxury



Code: CT-315
Weight kg/m: 1,057 kg/m
W x H x T: W:42,7 x H:131,4 x 2

Glass Upper Cover Profile




Code: CT-303
Weight kg/m: 0,528 kg/m
W x H x T: W:57,2 x H:24,8 x 1,5

Glass Slide Cover Profile




Code: CT-302
Weight kg/m: 0,711 kg/m
W x H x T: W:59,5 x H:40 x 1,8

Glass-Holder Profile




Code: CT-309
Weight kg/m: 0,570 kg/m
W x H x T: W:64 x H:45 x 1,8)

Beam Profile



Code: CT-310
Weight kg/m: 2,09 kg/m
W x H x T: W:57,2 x H:110,3 x 1,8

Beam Profile (LED)



Code: CT-301
Weight kg/m: 2,195 kg/m
W x H x T: W:61 x H:100 x 1,8

Gutter Inner Cover Profile



Code: CT-306
Weight kg/m: 0,595 kg/m
W x H x T: W:38,2 x H:95,5 x 1,5)

Duvar Sabitleme


Wall-Fix Profile



Ürün Kodu / *Code* **: CT-311**
Weight kg/m: 2,394 kg/m
En x Boy x Kalınlık: W:41,1 x H:150,6 x 3)

Açı Ayar Profil


Angle Adjustment Profil



Ürün Kodu / *Code* **: CT-312**
Weight kg/m: 1,471 kg/m
En x Boy x Kalınlık: W:75,7 x H:96 x 2,8


110x145 Ayak

Column Profile



Ürün Kodu / *Code* **: CT-107**
Weight kg/m: 3,044 kg/m
En x Boy x Kalınlık: W:110 x H:145 x 1,9

Gutter
Profile w.Cover



Code: CT-315
Weight kg/m: 3,631 kg/m
W x H x T: W:154 x H:122 x 2

Gutter Cover



Code: CTA-22

Wall Profile Cover



Code: CTA-21

Beam Profile Fix Acces.



Code: CTA-24

Su Filtresi
Water Filter



Code: CTA-03

Beam Profile Fix Acces.




Code: CTA-23

Column Fixing Acces. Guide



Code: CTA-15

110 x 145 Aluminum Leg



Code: CTA-04

Column Pring/Accessory



Code: CTA-13

Gasket



Code: CTA-27

Wall-Upper Gasket





Code: CTA-26

KAISER GRAND


FOLDING GLASS BALCONY PROFILES SECTION

FOLDING GLASS BALCONY SECTION





SECTION A



SECTION B




BIO ROOF
ROLLING ROOF

BIO ROOF

- Kaiser Grand Bioclimatic Systems makes living spaces such as hotels, cafes, restaurants, residences, terraces, winter/ summer gardens, shopping centers more comfortable and indispensable with its advanced technology and folding- collecting feature. It is possible to assemble with guillotine, zip curtain and sliding glass systems.


DESIGN AND FUNCTIONALITY

- The panels, which are used as ceiling closing materials in the bioclimatic system, rotate around their own axis
- and perform the folding movement. After completing the folding motion, the aluminum panels are folded back to create a full open ceiling area. With the folding movement of the panels, it does not lose its shading feature while ventilating from the roof.
- Snow/rain water collected on aluminum panels is transferred to the main arc profi le with the arc on the panels.
- Rain water is discharged from the main arc profi le to the outside.
- In rainy weather, the panels are adjusted at a certain angle and designed to prevent water ingress while providing ventilation of the living space.
- The insulation feature can be increased to higher levels by fi lling the panel with polyurethane foam (optional).
- The bioklimatic system engine using RTS technology works with a remote control and the motion can be stopped
- at any point thanks to the start-stop technology. The entire system or a single module can be operated with a remote control.
- Rain and wind sensors that can be added to the system detect situations such as precipitation and storms when the system is on and turn off automatically.



Maximum Measures	**Max. W:6000mm H:6000mm**
Surface Coating	**Electrostatic Powder-Coating**
Smart Home Technology	✓
Double Stage Gutter	✓
Led Lightning	✓


KAISER GRAND



BIO ROOF SECTION


BIO ROOF SECTION

Lamella Profile




02 Code: **RR-202**
Weight kg/m: 3,400
(W:250,10 X H:60,10 X 1,8)

Gutter Profile




Code: **RR-201**
Weight kg/m: 4,270
(W:205,00X H:89,50X2)

Gutter LED Profile




09 Code: **RR-209**
Weight kg/m: 1,948
(W:82,60 X H:100,07 X 1,65)

Rail Profile




04 Code: **RR-204**
Weight kg/m: 4,965
(W:154,50X H:124,50 X 1,8)

Led Profile




Code: **RR-205**
Weight kg/m: 2,390
(W:93,00X H:95,00 X2)

Middle Rail Profile




13 Code: **RR-213**
Weight kg/m: 6,300
(W:216,60 X H:134,50 X 1,8)

Led Rail Profile




Code: RR-213
Weight kg/m: 6,995
(W:220,00 X H:124,50 X 2,3)

Single Gutter Cover Profile




Code: RR-206
Weight kg/m: 0,900
(W:99,40 X H:25,00 X 1,2)

Duble Gutter Cover Profile




Code: RR-211
Weight kg/m: 2,068
(W:189,65 X H:25,00 X 1,7)

Trible Gutter Cover Profile




Code: **RR-214**
Weight kg/m: 3,451
(W:279,90X H:25,00X2)

Column Profile




12 Code: **RR-212**
Weight kg/m: 4,244
(W:180,00 X H:159,50 X 2,3)

Column Cover Profile




Code: **RR-207**
Weight kg/m: 1,380
(W:180,00X H:33,20X2)

Rail Cover Profile




08 Code: **RR-208**
Weight kg/m: 3,032
(W:205,00 X H:93,60 X 1,8)

Rail Cover Profile



10 Code: **RR-210**
Weight kg/m: 0,767
(W:85,70 X H:15,22 X 1,6)

Motor Boruzu
Motor Pipe Profile



Code: **PRG-121**
Weight kg/m: 1,100
(W:75,50X H:75,50 X1,5)

Column Ground Connection



Code: DRR-101

Column Support Connection



Code: DRR-102

Column Groove Connection



Code: DRR-103

Pipe Stopper



Code: DRR-104

Belt Tensity Accessory



Code: DRR-105

Motor Head



Code: DRR-106

Rail Front Cover



Code: DRR-107

Belt Tensity Iron



Code: PA-78

Filter



Code: CTA-103

Rail Back Cover



Code: DRR-108

Locomotive Wheel



Code: DRR-109

Led Profil Edge Accessory



Code: DRR-110

Groove Cover



Code: DRR-111

Stopper Accessory



Code: DRR-112

Rail Cover Slide



Code: DRR-113

Column Groove Slide



Code: DRR-114

Motor Head Slide



Code: DRR-114

Stoper Slide



Code: DRR-115

Belt Front Pulley



Code: DRR-116

Roller Cage



Code: DRR-117

Araba Tekeri
Roller Wheel



Code: DRR-118

Belt Tensity Roller



Code: DRR-119

Roller Rove



Code: DRR-120

Gear



Code: PA-05-1

Lamel Right Cover



Code: DRR-121

Lamel Left Cover



Code: DRR-122

Bruckel Shaft Cover



Code: DRR-123

Lameil Wheel



Code: DRR-124

Brucked inner Plastic



Code: DRR-125

Lamel Bruckel Pim



Code: DRR-126

Lamell Wheel Pim



Code: DRR-127

Front-Back Bracket



Code: DRR-129

Bracket



Code: DRR-128

Lamell Gasket



Code: BCG-101

Groove Gasket



Code: BCG-102


Difusor Cover




Code: DIFC-102

KAISER
GRAND

Section A






SECTION A

BIO ROOF SECTION

BIO ROOF SECTION



SECTION B



WIND BREAKER

KAISER
GRAND

Kaiser Grand Wind Breaker Systems make living spaces more comfortable and indispensable by protecting you from the negative effects of wind in places such as hotels, cafes, restaurants, residences, terraces and shopping centers. The Wind Breaker System reduces the negative effects of the wind by moving the air fl ow above the session level in windy weather.

The movable glass panel protects from the wind up to 180 cm above ground level.
The system is suitable for manual use. Height adjustment can be made easily with the weight balancing system.
The Wind Breaker can be used alone or side by side and acts as a separator in open areas. The Wind Breaker, which is used between the tables in businesses such as cafes and restaurants, can reduce the contagion effect of
COVID-19.

Motorized Wind Breaker



Numberof GlassPanels	**2 Glass**
Maximum Measures	**W:3000mm H:2200mm** W:3000mm H:2200mm
Surface Coating	**Electrostatic Powder-Coating**
Glass Feature	**8-10mm Tempered**

Manual Wind Breaker




Numberof GlassPanels	**2 Glass**
Maximum Measures	**W:1800mm H:1800mm** W:1800mm H:1800mm
Surface Coating	**Electrostatic Powder-Coating**
Glass Feature	**5-6mm Tempered**

Piston Wind Breaker



Numberof GlassPanels	**2 Glass**
Maximum Measures Measures	**W:1800mm H:1800mm** W:1800mm H:1800mm
Surface Coating	**Electrostatic Powder-Coating**
Glass Feature	**6mm Tempered**

KAISER
GRAND



WIND BREAKER

Moveable Glass Profile



Code: RK-104
Weight kg/m: 1,592 kg/m
EnxBoyxW:41,5xH:50

Handrail Cover



Code: RKA-01

Windbreaker Slide



Code: RKA-06

Fixed Horizontal Profile



Code: RK-101
Weight kg/m: 1,210 kg/m
W x H x T: W:30 x H:52,3

Steel Wire



Code: RKA-02

Breaking Accessory



Code: RKA-14

Fixed Vertical Profile



Code: RK-102
Weight kg/m: 2,067 kg/m
W x H x T: W:47 x H:94,8

Steel Wire Fixing Ring



Code: RKA-03

Roller of Steel Wire



Code: RKA-07

Handrail Profile



Code: RK-103
Weight kg/m: 1,917 kg/m
W x H x T: W:129,2 x H:43,1

Horizontal Profile Corner Cover



Code: RKA-04

Steel Wire Fixing Cover



Code: RKA-40

Weight Profile



Code: RK-105
Weight kg/m: 1,711 kg/m
W x H x T: W:30 x H:150

Windbreaker Stand



Code: RKA-05

Fixed Horizontal Profile



Code: RKP-203
Weight kg/m: 1,344 kg/m
W x H x T: W:101 x H:22

Braking Accessory




Code: RKA-14

M8 Fiberli Somun
M8 Fiber Nut



Code: RKA-10

Moveable Glass Profile



Ürün Kodu / *Code* : RKP-202
Weight kg/m: 1,459 kg/m
En x Boy x Kalınlık: W:50 x H:46,6

Piston Topuzu
Piston Fixing



Code: RKA-08

Windbreaker Stand



Code: RKA-27

Fixed Vertical Profile



Code: RKP-201
Weight kg/m: 2,718 kg/m
W x H x T: W:66,5 x H:100

Piston Fixing Metal



Code: RKA-28

Moveable Glass Profile Cover



Code: RKA-30

Windbreaker Slide



Ürün Kodu / *Code* : RKA-06

Fixed Vertical Profile Cover



Code: RKA-31

Glass Pin



Code: RKA-32

Piston
Piston



Code: RKA-13

Main Box Profile



Code: SP-101
Weight kg/m: 3,335 kg/m
W x H x T: W:116,5 x H:147,5

Main Box Cover



Code: GA-05

Pulley



Code: GA-15

Main Box Cover Profile



Code: SP-102
Weight kg/m: 0,915 kg/m
W x H x T: W:18,6 x H:143,1

Main Box Roller



Code: GA-06

Glass Holder



Code: GA-17

Vertical Profile



Code: RK-107
Weight kg/m: 1,775 kg/m
W x H x T: W:94 x H:94

Tube Adapter



Code: GA-04

Belt Fixing



Code: GA-21

Vertical Cover Profile




Code: RK-108
Weight kg/m: 0,904 kg/m
W x H x T: W:90 x H: 68

Belt Puller



Code: GA-12

Horizontal Bottom Cover



Code: GA-18

Base Profile



Code: G-120
Weight kg/m: 0,400 kg/m
W x H x T: W:13,2 x H:30

Glass Holder



Code: GA-16

Windbreaker Stand



Code: GA-05



PERGOLA SYSTEMS


KAISER GRAND

DESIGN AND FUNCTIONALITY

- Kaiser Grand Pergola Systems is an opening & closing system designed with specially designed fabrics, adapted on aluminum carriers.
- Kaiser Grand Pergola Systems, specially designed with inspiration from oak wood; with its advanced technology and functional features, it makes living spaces such as hotels, cafes, restaurants, residences, terraces, winter/summer gardens, shopping centers more comfortable and indispensable. Experience only the beauties of nature, not the negative aspects, by installing it together with guillotine, zip curtain and sliding glass systems.
- The pergola system engine using RTS technology works with a remote control and the movement can be stopped at any point thanks to the start-stop technology. • The entire system or a single module can be operated with a remote control.
- With rain and wind sensors that can be added to the system, the system detects rain and storm conditions when it is on and turns off automatically. • It creates a 24/7 usage area with LED lighting.
- The hidden part of the drainage system, which is integrated into both beams and columns, makes it possible to evacuate rain and water.



Maximum Measures	**Max. W:12000mm H:12000mm**
Surface Coating	**Electrostatic Powder-Coating**
Smart Home Technology	
Double Stage Gutter	
Led Lightning	



PA-01
Rear Bearing Cage
PA-60
Rail Rear Hanger U
PA-09
Gear
PA-05
Small Bearing Cage
PA-02
Fren
PA-77
Rail Rear Connection
P-108
Rail
PA-19
Metal Rail Head
PA-03
Front Tensioner Block
P-109
Gutter
PA-49
Gutter Cap
CT-107
110X145 COLUMN
PA-22
110/145 Column
PA-14
Small Cornice Side
PA-33
Led
PA-16
Large Cornice Side
P-103
Thick Cornice
P-104
Thin Cornice

Rail Profile




Code: P-102
Weight kg/m: 4,230
(W:75,50 X H:151,60 X 2,7)

Rail Profile




Code: P-108
Weight kg/m: 4,142
(W:90,00 X H:150,00 X 1,7)

Rail Profile




Code: P-110
Weight kg/m: 7,170
(W:110,00 X H:150,00 X 2,4)

Gutter Profile




/ Code: **P-109**
Weight kg/m: 4,398
(W:152,00 X H:150,00 X 2,2)

Big Gutter Profile




Code: P-106
Weight kg/m: 3,487
(W:158,13 X H:125,00 X 2)

Thin Cornice Profile




Code: **P-104**
Weight kg/m: 0,750
(W:40,90X H:60X 1,3)

Trapeze Profile




Code: P-105
Weight kg/m: 1,711
(W:75,50 X H:151,60 X 2,7)

Column Profile




Code: CT-107
Weight kg/m: 3,044
(W:110,00 X H:145,00 X 1,85)

Thick Cornice Profile




Code: P-103
Weight kg/m: 1,107
(W:81,80 X H:60,00 X 1,4)

Motor Boruzu
Motor Pipe Profile



Code: **PRG-121**
Weight kg/m: 1,100
(W:75,50X H:75,50 X1,5)

Rear Roller Cover



Code: PA-01

Brake



Code: PA-02

Front Tensioner Wedge



Code: PA-03

Engine Header



Code: PA-10

Small Real Cover



Code: PA-05

Engine Cover



Code: PA-08

Gutter Cover



Code: PA-49

Gear



Code: PA-09

Roller



Code: PA-13

Dowel



Code: PA-26

Rail Cover (70)



Code: PA-18

Rail Cover (90)



Code: PA-19

Stopper



Code: PA-25

Water Filter



Code: PA-27

Small Cornice Side Connection



Code: PA-14

Small Cornice Middle Connection



Code: PA-15

Big Cornice Side Connection



Code: PA-16

Big Cornice Middle Connection



Code: PA-17

Rail Wall Connection



Code: PA-60

Trapeze Connection



Code: PA-69

PERGOLA SYSTEM ACCESSORIES

Rail Real Connection



Code: PA-76

Rail Real Connection



Code: PA-77

Motor Sabitleme
Engine Fixing Cover



Code: PA-64

Lomomotive Whell



Ürün Kodu / Code : PA-07

Whell



Code: PA-08

Belt Connection Cover



Code: PA-04

110X145 Column Leg



Code: PA-22

100X100 Column Leg



Ürün Kodu / Code : PA-22

Led
LED



Code: PA-33

Edge Cornice Gasket



Code: PA-76

Gutter Gasket



Code: PA-77

Cable Gasket



Ürün Kodu / Code : PA-78

Rail Basket



Code: PA-79

Middle Cornice Gasket



Code: PA-80

Belt




Code: PA-36




ZIP SCREEN

DESIGN AND FUNCTIONALITY

- Specially designed fabrics with micro-ventilation pores are used in Zip Curtain. Stretch fabrics with aluminum profi les prevent the cold or hot air from entering the living space. Although the curtain is closed, the viewing angle of the living area does not close.
- The zip curtain motor using RTS technology works with a remote control and the motion can be stopped at any point thanks to the start-stop technology. It works silently thanks to the sound insulation of the motor module.
- The entire system or a single module can be operated with a remote control.
- Serge Ferrari and Screen fabrics are used in the system. In addition, company-specifi c logo and brand printing can be made on zip curtain fabric.
- Kaiser Grand Zip Curtain has been developed to protect from the negative effects of sun and wind in places such as hotels, cafes, restaurants, villas, residences, terraces, winter/summer gardens, shopping centers, and to make living spaces more comfortable and indispensable.



Maximum Measures	**Max. W:4000mm H:3500mm**
Screen Feature	**Sergei Ferrari**
Surface Coating	**Electrostatic Powder-Coating**
Smart Home Technology	


Motor
Head Acc.
(Right)
Bearing
Housing
Motor Box Cover
(Right)
Motor
Head Acc.
(Left)
Shaft Adapter
Side Frame Top
Cover
Zip Screen 6mm PVC
Rod
Zip Screen
Galvanized Tube
Zip Screen Motor
30 NM
Zip Screen
Wick Seal
Zip Screen
Fabric
Zip Screen 6mm PVC
Rod
Screen Weight
Acc. Cover
Screen Weight
Acc.
Guillotine System
Gasket
Side Frame
Bottom Cover

KAISER GRAND

Protect your garden, **complete your architecture.**



GARDEN FENCE SYSTEMS

Garden fence systems combine security, privacy and a modern architectural look to create an aesthetic boundary around villas, detached houses, residential complexes and commercial areas.

Durable aluminum panels, strong load-bearing posts and connection elements suited to outdoor conditions ensure long service life. Horizontal or vertical slats, different panel spacings, heights and color options can be applied depending on the project.

- Robust, long-lasting structure
- Various panel, slat and pattern options
- Durable aluminum panels and posts
- Panel and profile colors to match your architecture

Smart shading,
controlled daylight.



WINTEND SYSTEMS

Create aesthetic and comfortable shading with motorized Wintend systems that control sunlight on windows, balconies, shop windows, cafés, restaurants and commercial spaces.

With their motorized or manual cassette awning design, Wintend systems block sunlight in a controlled way and provide comfortable shade on window, balcony, shop-front, café and restaurant façades.

- Quiet and powerful motor
- Taut fabric with special spring-loaded arms
- Durable aluminum cassette and arms
- Profile and fabric colors to match your architecture

Not just systems, we design **living spaces.**



GUILLOTINE GLASS BALCONY

FOLDING GLASS BALCONY

SLIDING GLASS SYSTEMS

GLASS ROOF WINTER GARDEN

BIOCLIMATIC

WIND BREAKER

PERGOLA SYSTEMS

ZIP SCREEN

WINTEND

GARDEN FENCE SYSTEMS

KAISER

kaisergrand.com

+90 312 350 46 40
+90 538 057 93 73

info@kaisergrand.com
www.cambalkon.com

1Aşağı Yahyalar, 978. Cad No:23,
Yenimahalle/Ankara